

PRW-001

29D3

HANDHELD GOLF REPORTING AND STATISTICAL ANALYSIS SYSTEMField of the Invention

The present invention is related to an apparatus and method for reporting and recording golf information and for providing golf advice and feedback in real time, and more particularly to a handheld computer unit and method for recording and reporting golf information.

Background of the Invention

In golf, like in many games, there is substantial information which can be traced to measure a player's progress, and hopefully improvement, over a period of time. Such facts and statistics invariably include scores, as well as less commonly-organized criteria such as tendencies in certain situations to score or perform in a particular manner, preferred playing conditions, and others depending on the sport or game. Players can, and often do, try to improve themselves by studying their past performances for strengths and weaknesses.

Golf in particular, although not exclusively, lends itself to the careful study of past performance in order to improve one's game. This is in part due to the myriad number of factors which need to be taken into account to accurately gauge performance; e.g., overall score, score per hole, club accuracy and yardages under different weather and ground conditions; performance in and

out of hazards; performance based on ball model number and compression rating; length of hole; hole and total course par values; course difficulty; club set used; the player's tendency to slice or hook with particular clubs; etc. Most  
5 golfers will agree that the game of golf is complicated, subtle, and best mastered through diligent practice and careful study.

To date, however, the study part of the game of golf, learning from past performances, has not been  
10 approached in a systematic, comprehensive manner. Most golfers until now have relied on intuition, memory, or rough pen and paper techniques. The shortcomings of these manual, intuitive methods have been noted by the prior art, and addressed with some primitive electronic or  
15 computerized devices for aiding the golfer in his game.

U.S. Patent No. 4,815,020 to Cormier discloses an apparatus and method for determining the remaining distance to the green and for selecting an appropriate club to use for that shot. This includes a portable electronic data  
20 entry and retrieval unit connected to a mechanical or electrical counter which measures the distance a manual golf cart's wheels travel over the ground between shots. The memory in the unit stores data representing prior performance with each club in the golfer's set, and the  
25 yardage along a golf course. It includes an angle measuring device for shots which do not travel straight toward the hole. Using trigonometric algorithms stored in

the unit's memory, the device counts off the distance traveled by the cart between each shot and determines the remaining distance to the green. The golfer can enter the club used and approximate distance for each shot in order to update the performance data stored in the memory. In response to an operator query, the unit will list one or more club performance values to help the golfer select a club for the next shot.

U.S. Patent No. 4,142,236 to Martz et al discloses an electronic golf scorecard which has a memory to store golf course data and player scores for one or more players. The unit displays individual score subtotals or totals for each golfer whose strokes are recorded during the game.

U.S. Patent No. 4,266,214 to Peters, Jr. discloses an electronic game scoring device, for example for use with golf, in a small, portable hand-held housing. As applied to the game of golf, it envisions use of a pre-recorded magnetic card containing data about a particular course to be read into the unit's memory before a game.

The above prior art devices, while useful, are limited in the scope of their functions, and in fact are not much more than electronic score cards or, in the case of U.S. Patent 4,815,020, electronic pace counters with very limited statistical averaging functions. Their high number of keys, non-intuitive user interfaces, and small displays capable only of displaying limited amounts of

information make them less than ideal.

#### Summary of the Invention

The present invention is a greatly improved handheld computer unit for recording and reporting sports information, for example golf information, and a method for entering and retrieving data. The flexibility, function and information recording and reporting methodology of the present invention go far beyond the limitations of the prior art.

10 In its most basic form the inventive apparatus is a comfortably handheld, self-contained computer unit having a non-volatile memory, a power source, a <sup>general output</sup> ~~generally-writable~~ display for selectively displaying a plurality of informational screens stored in the memory, and a program that determines logical screen and information sequence and processes the data entered. The unit is provided with key entry means for retrieving and selectively displaying various screens from the memory on the display, and for entering game data into each screen to be stored in the memory. The provision of a <sup>general output</sup> ~~generally-writable~~ display, the variety of specialized screens for organization of data, and the handheld portability of the invention result in a device with nearly unlimited potential.

25 Because the display of the handheld unit provides pre-formatted screens in which data input fields are logically organized and displayed, the key entry means of

the unit is greatly simplified. Since each screen as it appears on the display is already provided via the computer memory with a set of data fields, each with a set of values to choose from, a comprehensive and intuitive golfer interface is achieved with only a first key set for selectively choosing screens to be displayed; a second tab key set for selectively choosing a particular data field on the displayed screen; and, a third scroll key set for entering or altering data in that particular field. In effect, the golfer has only three types or sets of keys to operate for full control of the unit's recording and reporting methodology.

In yet a further embodiment, the first key entry set includes two keys, one a sequential screen-changing key which, with each press, causes the computer to display the next logical screen of a series of screens. For example, when the unit is first turned on, a game setup screen appears. When the golfer has completed entry of all appropriate data input fields on that screen, pressing this sequential selection key takes the golfer to the next logical screen in the progression, for example a course data screen. At the same time, the data in the previously completed screen is stored in the computer memory for later retrieval and display. In this manner the player can cycle through a series of screens in a logical predetermined order for efficient data entry both before, during and after the golf game. In a preferred form, the user may

specify the amount of data he wishes to record and subsequently report on by initially selecting one of a plurality of game recording modes. In turn, this selection will define the order of display of subsequent pre-game and game-interactive screens. Generally speaking, the greater the amount of detail and statistical information required by a user, the more information (and thus screens) he must enter during golf play.

Since information is recorded only once, during the course of play while still fresh in the mind of the player, the information is more likely to be accurate. Moreover, the information need not be re-recorded after the game as may be necessary with less portable, less comprehensive devices.

The second screen-changing key is non-sequential in operation and allows the golfer to break out of the pre-determined sequence of screens controlled by the sequential entry key as needed. In a preferred form the operation of this non-sequential screen-changing key is screen-dependent, in that the available choices of alternate screens will vary to logically complement the currently-displayed screen.

Because a <sup>general output</sup> ~~generally writable~~ display is used, all available screens are pre-formatted or "customized" to perform a particular recording or reporting function. The flexibility or number of specific reporting/recording functions is accordingly nearly unlimited; however, the

method for inputting data on each different screen is generally the same, facilitating ease of use.

As each screen is displayed it contains one or more data input fields, each with an associated plurality or range of data values which may be scrolled through and selected. For example, on a scorecard screen the field for a golfer's score contains a set of values from 0 to, e.g., 16. When the hole is finished the golfer can scroll through the values in that field and select the number corresponding to his score for that hole.

The method for tabbing from field to field on a particular screen requires only two tab keys, tab forward and tab back to permit the golfer to tab through each field on the screen from beginning to end as the game demands. Likewise, only two scroll keys are necessary for selecting values for a chosen field, permitting the golfer to scroll up or down the range of values provided by the program. When the correct value is chosen, the player simply tabs to the next field.

The above-described handheld apparatus and method of its operation results in a clear, easy to use system. Relative to the handheld apparatus and method of physical operation, the screen display and sequencing methodology both complements the handheld unit and greatly increases its flexibility and usefulness.

The memory of the handheld unit is provided with a number of pre-game, game-interactive and post-game

5 screens, each screen designed to fit on the generally-writable display of the handheld unit to comprehensively address a particular facet of the game. The computer unit is programmed to provide these in an orderly sequence which aids the golfer in preparing for, playing and reviewing a game of golf.

10 When the unit is first turned on, the player selects a game recording or statistical reporting mode or module. All information recorded for a particular game in the game recording mode is stored in the memory during the game, for subsequent statistical reporting via the statistical reporting module. Statistical reporting is done automatically based upon earlier entered data, and requires no calculation or additional operation of the unit or entry of data by the player other than what was done in the game recording module. Furthermore, select statistical reports are available during course play to assist the user in selecting clubs. *Dr. A* *101*

20 When the unit is turned on and the game recording module selected, one or more pre-game screens sequentially appear in logical order to request selection or definition of pre-game parameters such as the names of the players, information on the golf course to be played, the clubs being used, and the level of detail to be recorded by the golfer.

25

When the pre-game screens have been filled in, the unit next displays one or more game-interactive screens



corresponding to one of several game-interactive reporting modes, either chosen by default or by the golfer during the pre-game mode. In a particular embodiment of the invention the game-interactive reporting modes include a simple one  
5 screen "scorecard" mode, an "easy track" mode providing additional detail, and a "detail track" mode in which the screen(s) is set up for recording a most-detailed set of data.

10 In a preferred embodiment control is initially passed to the scorecard screen after the pre-game screens have been updated, regardless of the game-interactive mode selected. Each game-interactive mode therefore consists of at least the scorecard screen and possibly one or more additional screens, depending on the mode selected.

15 While the illustrated embodiment describes three game-interactive modes, it will be understood by those skilled in the art that the number is dependent on the desire of the programmer or the sport for which the unit is adapted.

20 Depending on the game-interactive reporting mode selected by the player, additional pre-game screens requesting further setup data may be displayed and the information carried over into the game-interactive  
25 screen(s).

In the pre-game and game-interactive modes, each screen has an associated "choice screen" listing a number of operational screen selections or "choices" to which the

golfer can resort by pressing the non-sequential screen-changing key described above. In most or all of the choice screens the player is given at least the choice of returning to the beginning of the game, or ending the game.

5 In game-interactive mode, for example, each game-interactive screen has an associated choice screen provided with options to choose from such as a screen which helps the player select a club, general golf advice for particular types of shots, review of pre-game data, etc.

10 The choices or optional screens are context-sensitive in that they are appropriately tailored to the displayed screen. For example, advice on golf technique is available during course play in the game-interactive mode when it is needed most.

15 These and other features and advantages of the present invention will become apparent upon further reading of the specification.

#### Brief Description of the Drawings

FIGURE 1 is an illustrated embodiment of a  
20 handheld computer unit according to the present invention;

FIGURE 2 is a flow diagram of the sequence of screen selection/display in the unit of Figure 1;

FIGURE 3 is one embodiment of a game setup data screen displayed in accordance with the methodology of  
25 Figure 2 on the display of the unit in Figure 1;

FIGURE 4 is one embodiment of a course data

PRW-001

29D3

screen in the pre-game mode of Figure 2;

FIGURE 5 is one embodiment of a golf set data screen in a pre-game mode according to Figure 2;

5 FIGURE 6 is one embodiment of a golf ball data screen in a pre-game mode according to Figure 2;

FIGURES 7 and 7a are one embodiment of a score card screen in a game-interactive mode according to Figure 2;

10 FIGURE 8 is one embodiment of a low-detail screen in a game-interactive mode according to Figure 2;

FIGURE 9 is one embodiment of a high-detail screen in a game-interactive mode according to Figure 2;

15 FIGURES 10 and 10a are choices menus associated with one of the game-interactive screens according to Figure 2;

FIGURE 11 is one embodiment of a putting data recording screen in a game-interactive mode according to Figure 2;

20 FIGURES 12 and 12a are statistical report menus in a statistics mode according to Figure 2;

FIGURE 13 is a selection criteria screen in a statistics mode according to Figure 2;

FIGURES 14 and 15 are screens in a game-interactive advice module;

25 FIGURES 16 and 17 are screens in a game-interactive fact-report module;

FIGURES 18 to 20 are screens of a game-

12

interactive statistics module;

FIGURES 21 and 22 are screens in a practice range module according to the present invention;

FIGURE 23 is one embodiment of an end of game screen in a game-interactive mode according to Figure 2; and

FIGURES 24 to <sup>41</sup>~~40~~ are illustrative embodiments of statistics report screens in the statistics mode of Figure 2.

10

Detailed Description of the Illustrated Embodiment

Referring now to Figure 1, a handheld, computerized golf-recording and reporting unit according to the present invention is shown at 10, sized to comfortably fit in the hand. Handheld unit 10 comprises a body 12, a <sup>general output</sup>~~generally-writable~~ LCD display 14 comprising a substantial portion of the face of the unit, an on/off button 15, an enter button 16, a choices key 18, tab keys 20, 21 and scroll keys 22, 23.

20

Handheld unit 10 contains a microprocessor (not shown) with suitable temporary and permanent (non-volatile) memory, as well as algorithms for data entry, fact reporting, expert advice and statistical analysis in a manner hereinafter described. Microprocessors suitable for use in a unit of handheld size are commercially available, and selection of a particular type can be left to the discretion of those skilled in the art.

25

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☒ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☒ **FADED TEXT OR DRAWING**

☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

F

*general output*

The ~~generally-writable~~ display 14 is suitable for display of data in any format within the limits of the microprocessor. In Figure 1, a sample "screen" on display 14 includes a screen title 24, in this instance identifying it as a "scorecard" screen. A number of data input fields 26 are identified by indicia 25 on the scorecard; e.g., in Figure 1 the field identified by numeral 26a corresponds to a space for recording the score of a first golfer on hole 1. Field selection cursor 28 is used to select and identify a field in which data is to be selected or modified by the user in a manner described below. The field select cursor 28 can be moved to all non-protected fields 26 on the screen on display 14 by pressing the tab keys in the manner described below.

The unit is turned on and off with on/off key 15. Once activated, the user can selectively retrieve various screens from the memory using either the enter key 16 or choices key 18. Use of either of these keys in effect rewrites display 14 to show a different screen having a different purpose.

Tab keys 20,21 move the cursor key 28 along the rows of fields 26 from left to right or right to left depending upon the key pressed. When the screen first appears on the display, cursor 28 will appear in the upper leftmost non-protected field 26 on the screen, and can be subsequently tabbed with key 21 from left to right, top to bottom, all the way to the lowermost righthand field 26.

14

Tab key 20 oppositely moves the cursor 28 from right to left, bottom to top. In this manner the operator can tab through fields 26 from left to right, top to bottom, and vice versa using only the two keys 20,21.

5           After a particular field 26 has been selected with tab keys 20,21 (by placing the cursor 28 on the field), a pre-determined set of values associated with that field can be scrolled through and selected using scroll keys 22,23. Keys 22,23 scroll up and down through the  
10 range of available values for a particular field 26 until the desired value is reached. At that time, the user tabs to the next field using tab keys 20,21 leaving the earlier selected value in place. In this manner each field 26 on the screen can be given a value for storage in the memory  
15 of unit 10. Values selected in a particular field can be modified or erased by returning to that field and using the scroll keys 22,23 to choose a new value.

          Accordingly, an entire screen can be filled in with golf information corresponding to the game being  
20 played merely by operating keys 20,21 and 22,23. There is no need for an entire set of numeric or alphanumeric character keys.

          When a screen has been filled in as desired, pressing the enter key 16 to move to another screen automatically stores the data in the memory in association  
25 with that screen. *Sn. F1* The operator can then return and view those values. *F1*

Referring now to Figure 2, a flow diagram shows the screen selection sequence and methodology for recording and reporting golf information, and for providing comprehensive feedback and advice in real time, according to the present invention. Step 30 is simply the on/off activation of handheld unit 10 effected with on/off key 14. When the unit is turned on, a first menu is displayed at step 32 prompting the user to choose between a game-recording mode of operation 34 or a statistics-reporting mode of operation 58. Game recording module 34 contains all of the screens and associated algorithms and data necessary to permit pre-game and game-interactive recording of information by the golfer, contained in a pre-game module 35 and game-interactive module 37. The statistics reporting module 58 uses the pre-game and game information previously recorded in module 34 to develop and selectively display a number of statistics reports.

Still referring to Figure 2, if game-recording module 34 is selected, a game setup data screen appears at step 36 for setting parameters for the game about to be played. <sup>20</sup> This information is entered using the tab keys <sub>193</sub> 20, 21 and scroll keys 22, 23 described above in reference to Figure 1. When the pre-game data screen has been filled in to the golfer's satisfaction, pressing the enter key 16 takes the golfer to an additional pre-game course data screen 38 to enter parameters identifying the course to be played; e.g., par and total yardage for each hole.



It will be understood that the number and form of the pre-game screens in pre-game portion 35 of game-recording module 34 can vary according to the desires of the programmer. For example, the pre-game setup and course data screens 36,38 could be combined into a single screen, space permitting on display 14. Or, additional pre-game screens could be provided.

At step 36 the golfer is also asked to select one of several game-interactive modes or screens from the game-interactive portion 37 of module 34. In the illustrated embodiment of Figure 2 these include score track mode, comprising a scorecard data screen 44; easy track mode comprising scorecard screen 44, easy track screen 46 and putt entry screen 50; and detail track mode comprising scorecard screen 44, detail track screen 48 and putt entry screen 50. These three game-interactive modes represent three levels of detail for golf information recording.

As shown in Figure 2, selection of the lowest-detail game-interactive mode, score track 44, automatically takes the user from the pre-game module 35 directly to step 44. The user is then limited to the scorecard screen 44 for the remainder of the game.

Selection of the next-highest level of game-interactive detail, easy track mode 44,46,50 transfers the golfer to one additional pre-game information recording screen in Figure 2, golf set data screen 40. When golf set data screen 40 has been filled out, pressing enter key 16

17

initially passes control to scorecard screen 44. Having selected easy track mode, the golfer can transfer back and forth between scorecard 44, easy track screen 46 and putt entry screen 50 by further actuation of the enter key 16.

5           If the golfer selects the highest level of detail, detail track mode 44,48,50, the golfer is presented with two additional pre-game data screens after step 38 including golf set data 40 and golf ball data 42. When these have been completed in the manner described above, 10 the golfer is then transferred to the detail track mode in which the golfer moves between the scorecard data 44, detail track screen 46 and putt entry screen 50 with the enter key. As with the other game-interactive modes, control is initially passed to scorecard screen 44 once the 15 pre-game screens have been completed, after which the other screens (if any) in that mode can be accessed.

Also included in the golf recording module 34 in Figure 2 are a number of randomly-accessed, game-interactive advice/feedback modes: "game play facts" mode 20 53,54, "game play advice" mode 51,52, and "game play statistics" mode 55,56,57. By using the "choices" key 18 on unit 10, these three advice/feedback modes can be randomly accessed from certain of the game-interactive screens, in this illustrated embodiment from scorecard mode 25 44, easy track mode 44,46,50 and detail track mode 44,48,50.

When the scorecard data screen 44 has been

completely filled out in any of the game-interactive modes, pressing enter key 16 on unit 10 automatically switches to the end of game screen 49. The end of game screen 49 is also preferably one of the choices available with the choice key 18 from any of the game-interactive screens 44,46,48 at any time during the game, permitting the golfer to close out and record a game early.

Still in Figure 2, if at menu 32 the golfer chooses the statistics module 58, pressing enter key 16 passes control to a statistics reports menu at 60 listing a variety of reports addressing various aspects of the golf game. The statistics reports are compiled from the information entered in game-recording module 34, and can for example show performance in various areas for the last one hundred games (or any suitable timeframe, limited only by the memory capacity of the microprocessor in unit 10). These may be values averaged over the last hundred games, or separate reports for each game, again as desired by the programmer.

At step 60 the golfer is given the option of passing control to selection criteria screen 62 to limit the timeframe over which the statistics in the selected reports are to be averaged or otherwise listed. In the illustrated embodiment, this can be done over a range of calendar dates, or specific dates or games can be selected.

With the selection criteria at screen 62 entered, or if screen 62 is bypassed from screen 60, the appropriate

report is displayed on the screen at step 64.

It will be apparent to those skilled in the art that the above flow diagram and general description of screen sequence and content is variable depending on the desire of the programmer and the sport for which the unit is tailored. Any of the "screens" can be a single screen or a series of consecutively-displayable screens if the report requested at that step contains too many lines to be displayed in its entirety on display 14. This depends on the size of display 14 (preferably of handheld size) and the number of lines contained in a screen.

The particular order of screen selection, and the number and type of available screens in the various pre-game, game-interactive and statistics reporting modes can vary. Figure 2 is merely the illustration of a preferred embodiment of the invention adapted to the game of golf.

Referring now to Figure 3, an illustrated embodiment of a game setup data screen 36 is shown as it appears on display 14. Information such as owner's initials, number of holes to be played, temperature, type of ground transportation to be used in the game, <sup>ground conditions</sup> date and time are entered by the operator using the tab keys 20, 21 and the scroll keys 22, 23 in the manner described above. For example, the two data input fields 26 associated with "owner's initials" are each supplied with a full range of alphabetical values which can be selected by the golfer using scroll keys 22, 23. When the "owner's initials" have

been filled in, the player then proceeds to the next field and enters the required information to set the parameters of the upcoming game.

5 It should be noted in Figure 3 that a "tracking mode" field 26 is provided. It is here that the golfer, using the scroll keys 22,23, can select one of the game-interactive modes, shown in Figure 2 and described in detail below.

10 When the golfer has filled in the game setup data screen, pressing the enter key 16 on the handheld unit 10 will store the data just entered and pass control to the next screen in the sequence, the course data screen 38 shown in Figures 2 and 4.

15 In the course data screen 38 of Figure 4, the same system and method for selection/entry of additional game parameters is used to fill out the screen. Tab keys 20,21 are used to move the cursor 28 among the various data input fields 26 corresponding to the holes on the course. Screen 38 has a "course number" field and associated  
20 "course name" field. The parameters for a number of different golf courses can be stored in the memory using screen 38, in the illustrated embodiment up to a maximum of ten courses. The parameters for each course are then identified or labelled with a course name and number.  
25 Subsequent scrolling through the "course number" field with scroll keys 22,23 retrieves and displays the corresponding, previously-recorded course parameters of "par" and "yards"

for all holes of that course. Once this information has been stored via the enter key 16, it remains in the microprocessor memory and can be recalled until replaced. The scroll keys 22,23 are then used to select among a predetermined set of values to fill in the "par" and "yards" fields for each of holes 1 through 18.

To keep the data entry simple and efficient, the "par" values for the holes are set between 3 and 6, and the "yards" value for each hole begins at a low default value, for example 100 yards, and can be increased or decreased in 5- or 10-yard increments. In a preferred mode, a specific "yards" default value is displayed immediately after a "par" value is entered by the user for a hole; e.g., 150 yards for par 3, 300 for par 4, 450 yards for par 5, 600 yards for par 6.

When the course data screen 38 has been completed (or, in the case of a previously-recorded course selected using scroll keys 22,23 to scroll through the "course number" field in 38), pressing enter key 16 passes control to a new screen depending upon the game-interactive mode selected in the "tracking mode" field of Figure 3.

If the "score track" tracking mode was selected, control is automatically passed to the "scorecard" screen 44 as shown in Figure 7 on display 14.

If the "easy track" mode was chosen, the unit remains in pre-game mode and control is passed to the "enter golf set data" screen 40 of Figure 5. When pre-game

screen 40 is filled in and entered, the unit shifts to game-interactive easy track mode 44,46,50.

5 In the game-interactive modes, control is always initially passed to the scorecard screen 44, from which the other screens in that mode can be accessed.

10 In. 06  
If the detail track mode 44,48,50 is chosen at "tracking mode" in Figure 3, then both the golf set data screen 40 of Figure 5 and the golf ball data screen 42 of Figure 6 appear in succession to be filled out and entered prior to actually entering the game-interactive detail track mode. Again, control initially passes to scorecard screen 44, from which screens 48,50 can be accessed.

In. 07 15  
In. 08  
The number and content of the pre-game screens for each game-interactive mode is dependent on the parameters and data needed for the level of reporting detail in the associated game-interactive mode.

20 Referring now to Figure 7, the lowest-detail score track mode comprises "scorecard" data entry screen 44, in Figure 7 limited to the front nine holes of the course. Again, the tab keys 20,21 are used to tab back and forth among the various fields 26 to enter information such as the "golfers" initials and the score achieved by each golfer for each of the first nine holes. In the preferred embodiment the first "golfers" field 26 is automatically  
25 filled in with the owner's initials, entered in the game setup data screen 36, and is non-alterable. This helps safeguard the unit from theft by providing a permanent

"name tag" identifying the owner.

If the "score track" mode is chosen in step 36, then the golfer is limited to that game-interactive mode for the rest of the game. However, operation of the choices key 18 passes control to a "choices" menu or menus 44a as shown in Figures 10 and 10a. Referring to Figure 10, the scorecard choices menu 44a lists five ways to exit the "scorecard" screen 44 of Figure 7, one of the five options selected using scroll keys 22,23 in the single "choice" field 26 provided, and then pressing enter key 16. The options listed in Figure 10 are not comprehensive, but are an illustrative embodiment listing logical courses of action or alternative screens accessible from the score track mode of reporting.

In the illustrated embodiment every pre-game and game-interactive screen is provided with a "choices" menu similar to that of Figure 10. The number and type of choices available for each screen varies depending on the context of the screen with which they are associated, but the format and operation is generally similar to that of Figure 10. The choices menus for other screens are not shown in the illustrated embodiment in consideration of their similarity and the amount of space needed to illustrate all of them. Those skilled in the art will be able to readily adapt the choices menu 44a of Figure 10 to the other screens.

Scorecard screen 44 will typically comprise two

24



5 screens, one for holes 1-9 (Figure 7) and one for holes 10-18 (Figure 7a). This is determined at the "number of holes to be played" field in game setup data screen 36 of Figure 3. The choices menu associated with scorecard screen 44 contains a choice to permit switching back and forth between the scorecard screens for the front and back nines as the game demands.

10 When the scorecard screen 44 of Figure 7 has been filled in and the game is over, pressing the enter key 16 on the handheld unit 10 will store the scorecard information in the memory and pass control to an "end of game" screen 56 as shown in Figure 2.

15 Referring now to Figure 8, "easy track" data entry screen 46 is available from scorecard screen 44 if the easy track mode was selected. Pressing the enter key 16 will take the player back and forth between the "easy track" data entry screen 46 and the "scorecard" data entry screen 44. In the "easy track" data entry screen of Figure 8, data for each shot of a specific hole is entered in the fields 26 corresponding to club, yards and direction information using the tab keys 20,21 and the scroll keys 22,23.

25 Also available from easy track screen 46 is a putt entry screen 50 shown in Figure 11. Control is passed automatically from screen 46 to screen 50 upon selection of the putter in the "club" field for that shot. Control is returned to scorecard screen 46 when the hole is over and

25

enter key 16 is pressed.

The "easy track" screen of Figure 8 can be used to record data for each shot on each hole on the course played. The "hole" and "yards" fields 26 at the top of the screen are provided with values corresponding to the current hole being played. The "yards" field is derived from the course data screen 38 previously filled in before the game. As each hole is completed, pressing the enter key 16 will store the shot information recorded for that hole in the memory and redisplay the "scorecard" screen 44 of Figure 7.

Still referring to Figure 8, the cursor 28 is initially located on the "club" column for shot 1, and can be moved throughout the fields on the screen as described above. A default distance (under "yards" column) can be selected, for example in the illustrated embodiment 100 yards. The increments in which values can be selected using the scroll keys 22,23 in each field under the "yards" heading are dependent on the club selected for that shot in the "club" column. Under the "direction" column the values in the illustrated embodiment are a default value of "ST" for straight, "HK" for hook, "SC" for slice, "GR" for a shot landing on the green, and "HO" for a shot into the hole.

Referring now to Figure 9, the "detail track" screen 48 is shown with more-detailed information corresponding to each shot made on each hole; e.g., in

26

addition to shot, club and yardage information, the direction, power, ball model, shot surface and landing surface information can be recorded. Tabbing through the fields 26 for the listed parameters is done with tab keys 5 20,21, and the values stored for those fields selected with scroll keys 22,23. Once the club, yardage, direction, power, ball model, shot surface and landing surface values are entered for a particular shot, pressing enter key 16 will enter that information in connection with that shot in 10 the memory, and redisplay it in the appropriate field under the column labelled "last."

Previously entered shots and the information entered and stored therewith for the current hole being played can be retrieved later by simply scrolling backwards 15 through the "shot" field values.

Except for the "club" field, all fields in the illustrated embodiment of Figure 9 are defaulted to predetermined values. For example, "yardage" is given a default value of 100 yards, incremented by 5, 10, or 25 20 yard segments depending on the club selected. The "direction" field default value is "ST" for straight; other directional choices available are described in reference to the "easy track" screen 46 in Figure 8. The "ball model" field is defaulted to the first ball model earlier entered 25 in the pre-game data screens. "Power" is given a default value of "full", with selectable options of 0.25, 0.50, 0.75 and default value "full." "Shot surface" is given a

default value of "fairway", with selectable options including "fringe", "rough", "tee", "sand". "Landing surface" is given a default value of "fairway", along with selectable options of "rough", "sand", "green", "lost", "water", "fringe".

As shown in Figure 2, during the golf game the player can switch from the scorecard screen 44 to the detail track screen 48 and back again by pressing enter key 16. Putt entry screen 50 is also available from the detail track shot screen 48 of Figure 9, if the putter is selected in the "club" column as earlier described.

Like the screens before it, the detail track screen 48 of Figure 9 is also provided with a number of choices in a choices menu screen (not shown) displayed by pressing the choices key 18 on unit 10. The "choices" menu for the detail track screen 48 in the illustrated embodiment include 1) enter next shot, 2) go to scorecard screen, 3) suggest club, 4) general golf advice, 5) end game. The default value in the choices menu for the detail track screen 48 is 1) enter next shot.

Also included in game recording module 34 are a number of advice/feedback modules accessible by the golfer during play. In the illustrated embodiment of Figure 2 these are the game play advice module 51,52; the game play facts module 53,54; and the game play statistics module 55,56,57.

The game play advice module comprises two

screens, golf problem screen 51 and problem solution 52. Selection of the game play advice module from the choices menu of the one of the game-interactive modes passes control to the golf problem screen 51 shown in Figure 14.

5 A single "problem number" field 26 is provided to select and enter the number of the problem for which the golf wants advice; e.g., 2) slice, 3) hook, 4) top ball, etc. Selection of 1) in the "problem number" field returns the golfer to the game-interactive recording mode.

10 Once the "problem number" has been entered in screen 51, pressing enter key 16 passes control to the problem solution screen 52 of Figure 15. Depending upon the problem number selected in screen 51, a suitable message in the form of a series of text lines appears on

15 screen 52 to correct the problem. Pressing the enter key again returns the golfer to the golf problem screen 51 for more advice or for return to the game-interactive recording mode.

20 The golf problem screen 51 can comprise more than a single screen, depending on the number of problems addressed by the program.

Another advice/feedback mode available from the game-interactive reporting modes is "game play facts" including fact-reporting "score history screen" 53 and

25 "hole history screen" 54 as shown in Figures 16 and 17. Score and hole history screens 53,54 are automatically compiled and stored by the computer for past games. As

shown in Figure 16, score history screen 53 lists the scores per hole for the last five times that course was played. The par value for each hole is listed in parentheses next to the hole number.

5                    Selection of the game play facts mode initially passes control to score history screen 53. Tab cursor 28 can be moved among the fields 26 of score history screen 53 using tab 20,21 in the manner earlier described. Once a particular hole is selected with the tab cursor, pressing  
10 enter key 16 passes control to hole history screen 54 providing detailed information for each "shot" made on that hole on that date: "club", "yards", and "direction." Pressing enter key 16 in hole history screen 54 returns control to score history screen 53.

15                    The third game-interactive advice/feedback mode available in the illustrated embodiment of Figure 2 is game play statistics module 55,56,57 shown in Figures 18, 19 and 20.

20                    Club summary screen 55 displays an initial average of "yards" and "accuracy" for each club. By entering a club designation (e.g., 1w, 2w, 3i, etc.) in the "club" field 26 of club summary screen 55, control is passed to the club statistics screen 56 in Figure 19 displaying the average yards for that particular club under  
25                    varying weather conditions, as well as more-detailed information on accuracy such as the percentage of shots that are hooked, sliced, put on the green or fairway, etc.

See 210  
25

30

Pressing enter key 16 returns control to club summary screen 55.

Club summary screen 55 in the illustrated embodiment is context-sensitive in that selection of a club typically used for what in golf is referred to as "chip" or "approach" shots to the green passes control to the "chipping" statistics screen 57 as shown in Figure 20. This screen displays detailed information for the chipping club selected, the detail commensurate with the finesse required for approach or chipping shots.

The above describes the pre-game and game-interactive modes 35, 37 found in the game reporting module 34 of Figure 2. All of the data selected during the pre-game and game-interactive modes (i.e., before and during the player's golf game) is automatically stored in the memory until intentionally erased or altered by the golfer. It should be noted that turning the unit off will not erase the data as the data is stored in non-volatile memory. Given the limits on a microprocessor for a handheld unit, in the illustrated embodiment only the previous hundred golf games are stored per course, continuously updated as new games are played. This stored information is reviewed, sorted and averaged by the statistical reporting module 58 to create a number of statistical reports 64 which can be retrieved by the golfer from statistics module 58.

Referring now to Figures 2 and 12, 12a, an illustrated example of statistics reports menu 60 is shown

*2*  
*012*

listing nineteen available statistical reports. *ms* In the *12* illustrated embodiment the large number of reports requires *27* them to be divided into two separate screens. These reports can be retrieved by the golfer by selecting the corresponding number in the "report" field 26 using the value scroll keys 22,23 and pressing enter key 16. The appropriate report is then displayed on display 14, for example the "ball compression" statistics screens shown in Figure 24.

5

10 An option available in the statistics reports menu 60 is 1) "set statistical timeframe" which, if selected, passes control to "selection criteria" screen 62 as shown in Figure 13 in which any statistical report 64 subsequently requested is limited to a particular

15 timeframe. Again, using the tab and scroll keys 20,21 and 22,23, the timeframe can be limited to a particular period of time, or to specific dates.

The statistical reports 64 allow only one "choice" of alternate screens once displayed, an "exit" to

20 the statistics reports menu 60. From the statistics reports menu 60 the user can return to the first menu screen 32 using the choices key 18. The user may end the statistical reporting mode by pressing the on/off button 15 at any time.

25 Additional illustrated examples of statistical report screens 64, available from statistics reports menu 60, are shown in Figures *24-41* *25-28* *13*. It will be clear to those

*32*



skilled in the art what statistical information is displayed and how it is related to the game of golf, particularly in view of the foregoing written description of the inventions.

5           In yet a further embodiment of the illustrated invention, the initial choice between game recording module 34 and statistics reporting module 58 is supplemented with a third choice, practice range module 74 as shown in Figures 21 and 22. Practice range module 74 includes a  
10   practice range statistics screen 76 in Figure 21 and a practice range entry screen 78 in Figure 22. Practice range statistics screen 76 includes a single "club" data input field 26 and a comprehensive listing of average "yards" and "accuracy" values for the clubs in a golf set.  
15   The "yards" and "accuracy" statistics in screen 76 in the illustrated embodiment are based on the last ten shots with that club as entered by the user in practice range entry screen 78. Once in the practice range module 74, control is initially passed to practice range statistics screen 76.  
20   Pressing enter key 16 passes control to practice range entry screen 78. Practice range entry screen 78 contains "yards" and "direction" data input fields for ten shots in the illustrated embodiment. After each shot the user, using scroll keys 22,23 selects and records the "yards" and  
25   "direction" for that shot in screen 78. If desired, additional practice range entry screens (not shown) for shots 11-20, 21-30, etc. can be provided, accessible by

33

filling in the previous screen and pressing enter key 16. Return to the practice range statistics screen 76 from practice range entry screen 78 is effected by pressing enter key 16 at the end of the practice session (after all  
5 practice range entry screens have been filled), or by providing a "choices" menu in association with practice range screen 78.

While the above description is of a particular illustrated embodiment, it is not intended to be limiting,  
10 as many variations and modifications of the invention lie within the scope of the appended claims. This will be apparent to those skilled in the art. For example, the specific format of any one screen can be customized as desired by the programmer. The types of golf data deemed  
15 relevant for adequate recording and reporting are also subject to variation. The inventive handheld reporting unit and method of operation is of course not limited to the game of golf, as those skilled in the art will be able to adapt the invention to almost any sport or game for  
20 which it is desirable to record and report a large amount of data. Golf is the game for which the invention is best suited, but not the only game to which it can be applied.

It is also possible to provide suitable ports or connections in handheld unit 10 to permit interface with a  
25 personal computer having a larger memory. This could be a mechanical cable connection, or an infrared or other remote connection. In this manner a larger body of statistical

34

Sn: H1

information over long periods of time can be stored for  
retrieval and review by the user.

HI

35